# WASHINGTON LATIN PUBLIC CHARTER SCHOOL CHEMISTRY 2019-20

#### **UNIT 5A PRACTICE TEST - CHEMICAL REACTIONS I: ACIDS AND BASES**

#### Answer all questions Recommended time = 50 minutes BAHATI NJEMA!

Name:	
Score for Q1 - 3 (open response)	/28
Score for Q4 – 10 (multiple choice)	/7
Bonus (Submits quiz on time and in correct format)	/5

## **SECTION A – OPEN RESPONSE**

1.	Neutralization reactions are reactions between acids and bases to produce salts. They have a variety of uses, including making different salts.				
	(a)		balanced symbol equations and name the salt p	ions for the following neutralization roduced:	
		(i)	Reactants:	magnesium carbonate and nitric acid	
			Symbol equation:		
			Name of salt:		
		(ii)	Reactants:	ammonia and sulfuric acid	6
			Symbol equation:		
			Name of salt:		
	(b)	State	what you would observe	e as reaction (a) (i) was taking place	
					2
	(c)	When preparing a pure sample of the salt from reaction (a) (i), one of the reactants should be added in excess. Which reactant is this, and why should it be added in excess?			
		willy s	silodia il be added ili exc		3
				TOTAL	11

2.	•	is a logarithmic scale designed to capture the acidity solution in a simple number.		
	(a)	Solution A has a hydrogen ion (H <sub>+</sub> ) concentration of mol/L. What is the pH of solution A?	1 x 10⁴	
				1
	(b)	Solution B has a hydroxide ion (OH) concentration of mol/L. What is the pH of solution B?	of 1 x 10 <sup>-3</sup>	
				2
	(c)	Solution C is pure water. What is the hydrogen ion (I concentration in pure water?	<b>⊣</b> +)	
				1
	(d)	Bromothymol blue is an indicator with an end-point pof 6.0 - 7.7. It's color 1 is yellow and it's color 2 is blue beduce the color of bromothymol blue in	_	
		Solution A		
		Solution B		3
		Solution C		
	TOTAL			

<ul> <li>3. Lactic acid, HC₃H₀O₃, is a weak acid. Casey had a solution of lactic acid of unknown molarity. She determined the molarity of the lactic acid solution by carrying out a titration with 0.10 mol/L sodium hydroxide solution. She found that 21.5 mL of the lactic acid solution were required to react with 25 mL of the sodium hydroxide solution.  (a) Write an equation to show what happens to lactic acid when it is mixed with water.  (b) Write an equation to show the reaction between lactic acid and sodium hydroxide.  (c) Describe in detail how Casey would perform the titration. Include the names of any equipment used.  (d) Calculate the molarity of the lactic acid solution. Show your working.</li> </ul>	
mixed with water.  (b) Write an equation to show the reaction between lactic acid and sodium hydroxide.  (c) Describe in detail how Casey would perform the titration. Include the names of any equipment used.	
(c) Describe in detail how Casey would perform the titration. Include the names of any equipment used.	2
(c) Describe in detail how Casey would perform the titration. Include the names of any equipment used.	2
names of any equipment used.	
names of any equipment used.	1
(d) Calculate the molarity of the lactic acid solution. Show your working.	
(d) Calculate the molarity of the lactic acid solution. Show your working.	4
(d) Calculate the molarity of the lactic acid solution. Show your working.	4
	3
TOTAL	10

#### **SECTION B – MULTIPLE CHOICE**

Do not answer these questions on this document. Click on the answer sheet provided at the end of the questions.

4.	The formula of aluminium sulfate is	
	Α	$AI_3S_2$
	В	Al(SO <sub>4</sub> ) <sub>2</sub>
	С	$Al_2SO_4$
	D	$Al_2(SO_4)_3$
	Е	Al <sub>3</sub> (SO <sub>4</sub> ) <sub>2</sub>
		1

5.	It is not possible to produce a pure sample of aluminium sulfate by adding		
	Α	aluminium hydroxide to sulfuric acid	
	В	aluminium oxide to sulfuric acid	
	С	aluminium chloride to sulfuric acid	
	D	aluminium carbonate to sulfuric acid	
	•	1	1

6.	Lactic acid is a weak acid. In an aqueous solution of lactic acid, approximately		
	10%	of lactic acid molecules react with water to form H <sup>+</sup> ions.	
	The p	H of 0.01 mol/L lactic acid is approximately	
	Α	1	
	В	2	
	С	3	
	D	4	
	E	7	
		2	

7.	Whic	h of the following solutions has the highest pH?	
	Α	0.001 mol/L H <sub>2</sub> SO <sub>4</sub>	
	В	0.001 mol/L HCl	
	С	a solution containing 1 x 10 <sup>-12</sup> mol/L OH <sup>-</sup> ions	
	D	a solution containing 1 x 10 <sup>-2</sup> mol/L H <sup>+</sup> ions	
	E	1 mol/L lactic acid	
	•		2

8.	What would happen if MgO powder was added separately to 50 mL of 0.5		
	mol/L HCl and 0.5 mol/L lactic acid?		
	Α	The lactic acid would dissolve more MgO but more slowly	
	В	The lactic acid would dissolve less MgO and more slowly	
	С	The lactic acid would dissolve the same amount of MgO but more	
		slowly	
	D	The lactic acid would dissolve the same amount of MgO and at the	
		same rate.	
	Е	The lactic acid would dissolve more MgO and more quickly.	
			1

Click here for answer sheet