

Centre Number						Candidate Number					
Surname						Other Names					
Notice to Candidate. The work you submit for assessment must be your own. If you copy from someone else or allow another candidate to copy from you, or if you cheat in any other way, you may be disqualified.											
Candidate Declaration. I have read and understood the Notice to Candidate and can confirm that I have produced the attached work without assistance other than that which is acceptable under the scheme of assessment.											
Candidate Signature						Date					

For Teacher's Use	
Section	Mark
PSA	
Task	
Section A	
Section B	
TOTAL ISA MARK (max 50)	



General Certificate of Education
Advanced Level Examination
June 2013

Chemistry

CHM6T/Q13/test

Unit 6T A2 Investigative Skills Assignment

Written Test

For submission by 15 May 2013

For this paper you must have: <ul style="list-style-type: none"> the Periodic Table/Data Sheet, provided at the end of this paper your Task Sheet and your Candidate Results Sheet a ruler with millimetre measurements a calculator. 	Time allowed <ul style="list-style-type: none"> 1 hour
Instructions <ul style="list-style-type: none"> Use black ink or black ball-point pen. Fill in the boxes at the top of this page. Answer all questions. You must answer the questions in the spaces provided. Do not write outside the box around each page or on blank pages. Do all rough work in this book. Cross through any work you do not want to be marked. 	Information <ul style="list-style-type: none"> The marks for questions are shown in brackets. The maximum mark for this paper is 30. You are expected to use a calculator, where appropriate. You will be marked on your ability to: <ul style="list-style-type: none"> organise information clearly use scientific terminology accurately.

Details of additional assistance (if any). Did the candidate receive any help or information in the production of this work? If you answer yes give the details below or on a separate page.

Yes No

Teacher Declaration:

I confirm that the candidate's work was conducted under the conditions laid out by the specification. I have authenticated the candidate's work and am satisfied that to the best of my knowledge the work produced is solely that of the candidate.

Signature of teacher Date

As part of AQA's commitment to assist students, AQA may make your coursework available on a strictly anonymous basis to teachers, examining staff and students in paper form or electronically, through the Internet or other means, for the purpose of indicating a typical mark or for other educational purposes. In the unlikely event that your coursework is made available for the purposes stated above, you may object to this at any time and we will remove the work on reasonable notice. If you have any concerns please contact AQA.

To see how AQA complies with the Data Protection Act 1988 please see our Privacy Statement at aqa.org.uk

Section A

These questions are about the task, an investigation of some transition metal compounds.

You should use your Task Sheet and your Candidate Results Sheet to answer these questions.

Answer **all** questions in the spaces provided.

- 1** The following results were obtained using a solution of chromium(III) sulfate.

Test	Observations
Test 1(a) Sodium hydroxide solution Place about 10 drops of the chromium(III) sulfate solution in a test tube. Add sodium hydroxide solution, dropwise with gentle shaking, until in excess.	Green precipitate formed. The precipitate was soluble in excess sodium hydroxide solution.
Test 2 Sodium carbonate solution Place about 10 drops of sodium carbonate solution in a test tube. Add about 10 drops of the chromium(III) sulfate solution and shake the mixture gently.	Green precipitate formed and a few bubbles of a colourless gas.
Test 3 Silver nitrate solution Place about 10 drops of the chromium(III) sulfate solution in a test tube. Add 10 drops of silver nitrate solution and shake the mixture gently.	No visible change.
Test 4 Sulfuric acid Place about 10 drops of the chromium(III) sulfate solution in a test tube. Add about 10 drops of sulfuric acid and shake the mixture gently.	No visible change.

State, with a reason, whether or not you can use your observations from the Task, and the results given above, to confirm that solution **P** contained chromium(III) ions.

.....

(1 mark)

- 2** Describe a simple test you could use to confirm that there are sulfate ions in solution **P**. State what you would observe.

Test

.....

Observation

(2 marks)

3 Use your observations from the Task to identify the metal ion in solution **R**.

.....

(1 mark)

4 Predict what change you would **observe** if an excess of concentrated hydrochloric acid is added to solution **R**.

.....

(1 mark)

5 Lead(II) chromate(VI) is a bright yellow solid and is almost insoluble in water. It is the pigment in the yellow paint that has been used for road markings.

5 (a) Lead(II) chromate(VI) can be prepared by mixing solutions of sodium chromate(VI) and lead(II) nitrate.

Write an equation for this reaction.

.....

(1 mark)

5 (b) Suggest **one** advantage of the low solubility of lead(II) chromate(VI) when it was used in the paint for road markings.

.....

.....

(1 mark)

5 (c) Lead(II) chromate(VI) does **not** react with oxidising agents.

Suggest **one** advantage of this property of lead(II) chromate(VI) when it was used in the paint for road markings.

.....

.....

(1 mark)

5 (d) Lead(II) chromate(VI) was used to give a bright yellow colour to some types of foodstuffs.

Suggest **one** reason why this use is now illegal.

.....

(1 mark)

9

Turn over ►

Section B

Answer **all** questions in the spaces provided.

6 The pigment 'Cobalt Yellow' contains an octahedral complex of cobalt(III) and nitrate(III) ions (NO_2^-). Analysis shows that Cobalt Yellow contains 13.0% of cobalt, 18.6% of nitrogen and 25.9% of potassium by mass. The remainder is oxygen.

6 (a) Use these data to calculate the empirical formula of Cobalt Yellow. Show your working.

.....

.....

.....

.....

.....

.....

.....

(3 marks)

6 (b) Deduce the structural formula of the cobalt-containing ion in Cobalt Yellow.

.....

(1 mark)

7 Iron(II) ethanedioate is another insoluble solid used as a pigment in paints and glass. It occurs as a dihydrate ($\text{FeC}_2\text{O}_4 \cdot 2\text{H}_2\text{O}$). One procedure used for the preparation of iron(II) ethanedioate is outlined below.

Procedure

A 6.95 g sample of hydrated iron(II) sulfate ($\text{FeSO}_4 \cdot 7\text{H}_2\text{O}$) was added to 100 cm^3 of water in a beaker and stirred until all of the solid dissolved. A 150 cm^3 volume of 0.20 mol dm^{-3} sodium ethanedioate solution was added to the beaker. The mixture was stirred until precipitation was complete. After filtration, 3.31 g of the dihydrate ($\text{FeC}_2\text{O}_4 \cdot 2\text{H}_2\text{O}$) were collected.

7 (a) Write an equation for the reaction between iron(II) sulfate and sodium ethanedioate.

.....
(1 mark)

7 (b) Calculate the amount, in moles, of $\text{FeSO}_4 \cdot 7\text{H}_2\text{O}$ in 6.95 g of hydrated iron(II) sulfate. Show your working.

.....
.....
.....
(2 marks)

7 (c) Calculate the amount, in moles, of sodium ethanedioate in 150 cm^3 of 0.20 mol dm^{-3} sodium ethanedioate solution.

.....
.....
(1 mark)

7 (d) Calculate the percentage yield of iron(II) ethanedioate dihydrate ($M_r = 179.8$) formed in this reaction. Give your answer to the appropriate precision. Show your working.

.....
.....
.....
.....
(2 marks)

7 (e) In this experiment, no side reactions take place, the reagents are pure and the reaction goes to completion.

Suggest **one** reason why the yield of iron(II) ethanedioate dihydrate in this experiment is less than 100%.

.....
.....
(1 mark)

Question 7 continues on the next page

Turn over ►

- 7 (f)** When dissolved in dilute sulfuric acid, the number of moles of ethanedioate ions in a pigment can be determined by titration with acidified potassium manganate(VII).

Explain why the titration of a sample of iron(II) ethanedioate would require a different amount of potassium manganate(VII) than a titration of an equimolar amount of copper(II) ethanedioate.

.....


.....

.....

.....

(2 marks)

- 8** A desiccator can be used to dry precipitates as shown in the diagram.



- 8 (a)** Explain briefly how the precipitate in the desiccator becomes dry.

.....

.....

(1 mark)


- 8 (b)** Anhydrous cobalt(II) chloride is blue. It is often added to the drying agent to indicate the amount of moisture in the drying agent.

State the colour change of this cobalt compound that you would observe as the drying process takes place.

.....

(1 mark)

9 An equation for the decomposition of hydrogen peroxide is



9 (a) The rate of reaction can be determined by collecting the oxygen formed and measuring its volume at regular intervals.

Draw a diagram to show the apparatus that you would use to collect and measure the volume of the oxygen formed.

(2 marks)

9 (b) Explain how you could use your results from the experiment in Question **9 (a)** to determine the initial rate of this reaction.

.....

.....

.....

.....

.....

(2 marks)

Question 9 continues on the next page

Turn over ►

9 (c) The rate of decomposition of hydrogen peroxide is increased by the addition of cobalt(II) ions.

Outline the essential features of an additional experiment to show that the rate of decomposition is increased by the addition of cobalt(II) chloride. Use the same method and the same apparatus as in Question **9 (a)**.

.....

.....

.....

.....

.....

(2 marks)

21

END OF QUESTIONS

GCE Chemistry Data Sheet

Table 1

Infrared absorption data

Bond	Wavenumber /cm ⁻¹
N-H (amines)	3300 – 3500
O-H (alcohols)	3230 – 3550
C-H	2850 – 3300
O-H (acids)	2500 – 3000
C≡N	2220 – 2260
C=O	1680 – 1750
C=C	1620 – 1680
C-O	1000 – 1300
C-C	750 – 1100

Table 2

¹H n.m.r. chemical shift data

Type of proton	δ/ppm
ROH	0.5 – 5.0
RCH ₃	0.7 – 1.2
RNH ₂	1.0 – 4.5
R ₂ CH ₂	1.2 – 1.4
R ₃ CH	1.4 – 1.6
	2.1 – 2.6
	3.1 – 3.9
RCH ₂ Cl or Br	3.1 – 4.2
	3.7 – 4.1
	4.5 – 6.0
	9.0 – 10.0
	10.0 – 12.0

Table 3

¹³C n.m.r. chemical shift data

Type of carbon	δ/ppm
	5 – 40
	10 – 70
	20 – 50
	25 – 60
	50 – 90
	90 – 150
	110 – 125
	110 – 160
	160 – 185
	190 – 220

The Periodic Table of the Elements

	1	2	3	4	5	6	7	0
(1)	6.9 Li lithium 3	9.0 Be beryllium 4	10.8 B boron 5	12.0 C carbon 6	14.0 N nitrogen 7	16.0 O oxygen 8	19.0 F fluorine 9	20.2 Ne neon 10
(2)	23.0 Na sodium 11	24.3 Mg magnesium 12	27.0 Al aluminium 13	28.1 Si silicon 14	31.0 P phosphorus 15	32.1 S sulfur 16	35.5 Cl chlorine 17	39.9 Ar argon 18
(3)	39.1 K potassium 19	40.1 Ca calcium 20	45.0 Sc scandium 21	47.9 Ti titanium 22	50.9 V vanadium 23	52.0 Cr chromium 24	58.9 Co cobalt 27	79.9 Br bromine 35
(4)	85.5 Rb rubidium 37	87.6 Sr strontium 38	88.9 Y yttrium 39	91.2 Zr zirconium 40	92.9 Nb niobium 41	96.0 Mo molybdenum 42	102.9 Rh rhodium 45	126.9 I iodine 53
(5)	132.9 Cs caesium 55	137.3 Ba barium 56	138.9 La * lanthanum 57	178.5 Hf hafnium 72	180.9 Ta tantalum 73	183.8 W tungsten 74	192.2 Ir iridium 77	209.0 Po polonium 84
(6)	[223] Fr francium 87	[226] Ra radium 88	[227] Ac † actinium 89	[267] Rf rutherfordium 104	[268] Db dubnium 105	[271] Sg seaborgium 106	[276] Mt meitnerium 109	[222] Rn radon 86
(7)				[98] Tc technetium 43	101.1 Ru ruthenium 44	106.4 Pd palladium 46	112.4 Cd cadmium 48	127.6 Te tellurium 52
(8)	1.0 H hydrogen 1			54.9 Mn manganese 25	55.8 Fe iron 26	58.7 Ni nickel 28	65.4 Zn zinc 30	79.9 Se selenium 34
(9)				58.9 Co cobalt 27	55.8 Fe iron 26	58.7 Ni nickel 28	63.5 Cu copper 29	79.9 Br bromine 35
(10)				102.9 Rh rhodium 45	101.1 Ru ruthenium 44	106.4 Pd palladium 46	107.9 Ag silver 47	126.9 I iodine 53
(11)				192.2 Ir iridium 77	190.2 Os osmium 76	195.1 Pt platinum 78	197.0 Au gold 79	209.0 Po polonium 84
(12)				200.6 Hg mercury 80	200.6 Hg mercury 80	204.4 Pb lead 82	204.4 Tl thallium 81	209.0 Po polonium 84
Elements with atomic numbers 112-116 have been reported but not fully authenticated								
	140.1 Ce cerium 58	140.9 Pr praseodymium 59	144.2 Nd neodymium 60	[145] Pm promethium 61	150.4 Sm samarium 62	152.0 Eu europium 63	157.3 Gd gadolinium 64	167.3 Er erbium 68
	232.0 Th thorium 90	231.0 Pa protactinium 91	238.0 U uranium 92	[237] Np neptunium 93	[244] Pu plutonium 94	[243] Am americium 95	[251] Cf californium 98	167.3 Er erbium 68
								168.9 Tm thulium 69
								173.1 Yb ytterbium 70
								175.0 Lu lutetium 71
								[257] Fm fermium 100
								[258] Md mendelevium 101
								[259] No nobelium 102
								[262] Lr lawrencium 103

* 58 – 71 Lanthanides

† 90 – 103 Actinides